

Wireless Voice Controlled Cursor Control Using RF

Dr.B. Karthik, Dr.S. Beulah Hemalatha, Dr.M. Jasmin, Dr.S. Arulselvi

Received: 04 Jan 2018 ▪ Revised: 09 March 2018 ▪ Accepted: 02 April 2018

Abstract: This paper provides a solution for the hand impaired people who cannot use the mouse to operate the computer. This is a device which controls the mouse using voice commands using HM 2007 Voice DSP Processor. A specific function is assigned to specific instructions. According to the instructions given, the mouse is controlled wirelessly using RF. Therefore, to make the assistive device for the disabled people is the main aim of this paper. Here, we design a mouth-activated mouse applying face detection technique. By using a webcam, the pictures of mouth position can be captured in a computer. We can then control the cursor and click the mouse by moving mouth. Through this equipment, the living quality of disabled people can be improved.

Keywords: Voice DSP Processor, Face Detection Technique, Tracking.

INTRODUCTION

The progressive growth of PCs in recent days has greatly helped in the technology development. Computers capable of ascertaining capacities have augmented the scope of human's perception to the degree that we get unlimited chances to build our mindfulness and information of numerous angles throughout our life.

Therefore, we have connected a basic office of registering to make this investigation, with the forecast that we might utilize different body parts to control PCs rather constraining utilization to just hands. The greater part of the PCs introduce Windows, and Mouse assumes a vital part in utilizing this product. Along these lines, we will likely utilize the mind to control the mouse. The hand controlled mouse is not so much advantageous to numerous crippled individuals. Subsequently, we have decided utilizing the mouth to control PCs, because hands are not accessible for the greater part of debilitated individuals.

RELATED STUDY

Existing System

In the recent days, the research in the field of assistive devices integrated with computers has greatly increased. In a conventional QWERTY keyboard, the number of keys is high, and the spaces between neighboring keys is very less for physical challenged. Chan-Hao Huang and Sheng-Wen Shih proposed a new type of prosthetic keyboard with lesser keys and with increased space between neighboring keys which will be better suited for the physically challenged. This keyboard is designed with only 12 keys, and radix-12 Huffman algorithm is used for encoding each character. Compared to the different input methods, the proposed method assists the hand impaired person to type at a faster rate.

Proposed System

The purpose of this paper is to identify the position and the shape of the mouth when it is opened and closed. The image can be captured by webcam, and is used to recognise the shape of the mouth. This system will help the hand disabled people to have control of the cursor easily. Before implementing the system, the following introductions should be clearly understood: Initially when the system starts, the system converts the image position from left to right; because the image captured by a webcam will be

Dr.B. Karthik, Associate Professor, Department of Electronics and Communication Engineering, BIST, BIHER, Bharath Institute of Higher Education & Research, Selaiyur, Chennai. E-mail: karthik.ece@bharathuniv.ac.in

Dr.S. Beulah Hemalatha, Associate Professor, Department of Electronics and Communication Engineering, BIST, BIHER, Bharath Institute of Higher Education & Research, Selaiyur, Chennai. E-mail: beulah.ece@bharathuniv.ac.in

Dr.M. Jasmin, Associate Professor, Department of Electronics and Communication Engineering, BIST, BIHER, Bharath Institute of Higher Education & Research, Selaiyur, Chennai.

Dr.S. Arulselvi, Associate Professor, Department of Electronics and Communication Engineering, BIST, BIHER, Bharath Institute of Higher Education & Research, Selaiyur, Chennai.

1) Working

Speech recognition has become a suitable method for controlling appliances, computers and toys. At the simple level, while using this tool or appliance, it helps the user to perform parallel tasks. The main component of the kit is the speech recognition ICHM2007. This IC will be able to recognize 20 words, each of length 1.92 sec.

A digital display and keypad can be fixed in the kit to communicate with the HM2007 chip and it is also used for programming the chip. Generally, the keypad comprises of 12 normally open contact switches. When the circuit gets switched ON, "00" will be displayed, the red color LED (READY) glows and the circuit gets ready and awaits a command.

2) Training Words for Identification

Initially, press "1" on the keypad, "01" gets displayed and the LED turns OFF. Then the TRAIN key is pressed. Now the LED turns ON to keep the circuit in training mode, for the first word. The target word is said into the onboard microphone placed near the LED. The circuit will accept the input word, so that the LED starts blinking. First it blinks OFF then ON. This word will now be identified as the "01" word. Suppose if the LED does not blink, then begin again by pressing "1" and then "TRAIN" key. Then "2" is pressed followed by TRAIN to identify the second word. It will accept and will be able to identify a maximum of up to 20 words. It is needed to train only 10 target words that is required.

3) Simulated Independent Recognition

The Independent speech identification system depends on the speaker. The voice that is utilized to prepare the system will demonstrate the most astounding recognition precision. Be that as it may, independent speech recognition can additionally be included. To recreate speaker independence one should use more than single word space for every objective word. Presently we utilize four word spaces for each objective word.

Subsequently we acquire four distinct enunciations of every objective word. The word spaces 01, 02, 03 and 04 are dispensed to the primary target word. We proceed the same for the left out word space. That is, the second target word will utilize the word spaces 05, 06, 07 and 08. We proceed in this way until all the words are programmed.

In the event that you are exploring different avenues regarding speaker autonomy use diverse individuals when preparing a target word. This will empower the framework to perceive diverse voices and articulations of the objective word. If we increase the system resources apportioned for independent recognition the circuit will get to be more powerful.

CONCLUSION

In this research, the cursor position and click functions of the mouse are controlled. But still there are many issues to be resolved. For instance, under fixed position of the webcam, it is difficult to recognize the mouth position mainly when the user nods or raises his/her head. This greatly restricts the movement of the cursor. The brightness of the environment also has a great impact on the processing of the image captured by the webcam. This effect of lights is considered to be decreased by the usage of HSV mode. The right key of the mouse and the double click of mouse are not included in the research. In the future, this idea can be still improved to be used in any computer so that it helps the physically challenged people to use the computer effectively.

REFERENCES

- [1] Das, J., Das, M. P., & Velusamy, P. (2013). Sesbania grandiflora leaf extract mediated green synthesis of antibacterial silver nanoparticles against selected human pathogens. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 104, 265-270.
- [2] Umanath, K.P.S.S.K., Palanikumar, K., & Selvamani, S. T. (2013). Analysis of dry sliding wear behaviour of Al6061/SiC/Al2O3 hybrid metal matrix composites. *Composites Part B: Engineering*, 53, 159-168.
- [3] Udayakumar, R., Khanaa, V., Saravanan, T., & Saritha, G. (1786). Cross layer optimization for wireless network (WIMAX). *Middle-East Journal of Scientific Research*, 16(12), 1786-1789.
- [4] Kumaravel, A., & Rangarajan, K. (2013). Algorithm for automaton specification for exploring dynamic labyrinths. *Indian Journal of Science and Technology*, 6(5S), 4554-4559.

- [5] Pieger, S., Salman, A., & Bidra, A.S. (2014). Clinical outcomes of lithium disilicate single crowns and partial fixed dental prostheses: a systematic review. *The Journal of prosthetic dentistry*, 112(1), 22-30.
- [6] Vijayaraghavan, K., Nalini, S.K., Prakash, N.U., & Madhankumar, D. (2012). One step green synthesis of silver nano/microparticles using extracts of *Trachyspermum ammi* and *Papaver somniferum*. *Colloids and Surfaces B: Biointerfaces*, 94, 114-117.
- [7] Khanaa, V., Mohanta, K., & Satheesh, B. (2013). Comparative study of uwb communications over fiber using direct and external modulations. *Indian Journal of Science and Technology*, 6(6), 4845-4847.
- [8] Khanaa, V., Thooyamani, K. P., & Udayakumar, R. (1798). Cognitive radio based network for ISM band real time embedded system. *Middle-East Journal of Scientific Research*, 16(12), 1798-1800.
- [9] Vijayaraghavan, K., Nalini, S.K., Prakash, N.U., & Madhankumar, D. (2012). Biomimetic synthesis of silver nanoparticles by aqueous extract of *Syzygium aromaticum*. *Materials Letters*, 75, 33-35
- [10] Caroline, M.L., Sankar, R., Indirani, R.M., & Vasudevan, S. (2009). Growth, optical, thermal and dielectric studies of an amino acid organic nonlinear optical material: L-Alanine. *Materials Chemistry and Physics*, 114(1), 490-494.
- [11] Kumaravel, A., & Pradeepa, R. (2013). Efficient molecule reduction for drug design by intelligent search methods. *International Journal of Pharma and Bio Sciences*, 4(2), B1023-B1029.
- [12] Kaviyarasu, K., Manikandan, E., Kennedy, J., Jayachandran, M., Ladchumananandasivam, R., De Gomes, U. U., & Maaza, M. (2016). Synthesis and characterization studies of NiO nanorods for enhancing solar cell efficiency using photon upconversion materials. *Ceramics International*, 42(7), 8385-8394.
- [13] Sengottuvel, P., Satishkumar, S., & Dinakaran, D. (2013). Optimization of multiple characteristics of EDM parameters based on desirability approach and fuzzy modeling. *Procedia Engineering*, 64, 1069-1078.
- [14] Anbuselvi S., Chellaram, C., Jonesh S., Jayanthi L., & Edward J.K.P. (2009). Bioactive potential of coral associated gastropod, *Trochus tentorium* of Gulf of Mannar, Southeastern India. *J. Med. Sci*, 9(5), 240-244.
- [15] Kaviyarasu, K., Ayeshamariam, A., Manikandan, E., Kennedy, J., Ladchumananandasivam, R., Gomes, U. U., & Maaza, M. (2016). Solution processing of CuSe quantum dots: Photocatalytic activity under RhB for UV and visible-light solar irradiation. *Materials Science and Engineering: B*, 210, 1-9.
- [16] Kumaravel, A., & Udayakumar, R. (2013). Web portal visits patterns predicted by intuitionistic fuzzy approach. *Indian Journal of Science and Technology*, 6(5S), 4549-4553.
- [17] Srinivasan, V., & Saravanan, T. (2013). Reformation and market design of power sector. *Middle-East Journal of Scientific Research*, 16(12), 1763-1767.
- [18] Kaviyarasu, K., Manikandan, E., Kennedy, J., & Maaza, M. (2015). A comparative study on the morphological features of highly ordered MgO: AgO nanocube arrays prepared via a hydrothermal method. *RSC Advances*, 5(100), 82421-82428.
- [19] Kumaravel, A., & Udhayakumarapandian, D. (2013). Construction of meta classifiers for apple scab infections. *International Journal of Pharma and Bio Sciences*, 4(4), B1207-B1213.
- [20] Sankari, S. L., Masthan, K. M. K., Babu, N. A., Bhattacharjee, T., & Elumalai, M. (2012). Apoptosis in cancer-an update. *Asian Pacific journal of cancer prevention*, 13(10), 4873-4878
- [21] Harish, B. N., & Menezes, G. A. (2011). Antimicrobial resistance in typhoidal salmonellae. *Indian journal of medical microbiology*, 29(3), 223-229.
- [22] Manikandan, A., Manikandan, E., Meenatchi, B., Vadivel, S., Jaganathan, S. K., Ladchumananandasivam, R., & Aanand, J. S. (2017). Rare earth element (REE) lanthanum doped zinc oxide (La: ZnO) nanomaterials: synthesis structural optical and antibacterial studies. *Journal of Alloys and Compounds*, 723, 1155-1161.
- [23] Caroline, M. L., & Vasudevan, S. (2008). Growth and characterization of an organic nonlinear optical material: L-alanine alaninium nitrate. *Materials Letters*, 62(15), 2245-2248.
- [24] Saravanan T., Srinivasan V., Udayakumar R. (2013). A approach for visualization of atherosclerosis in coronary artery, Middle - East Journal of Scientific Research, 18(12), 1713-1717.

- [25] Poongothai, S., Ilavarasan, R., & Karrunakaran, C.M. (2010). Simultaneous and accurate determination of vitamins B1, B6, B12 and alpha-lipoic acid in multivitamin capsule by reverse-phase high performance liquid chromatographic method. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2(4), 133-139.
- [26] Udayakumar, R., Khanaa, V., & Saravanan, T. (2013). Synthesis and structural characterization of thin films of SnO₂ prepared by spray pyrolysis technique. *Indian Journal of Science and Technology*, 6(6), 4754-4757
- [27] Anbazhagan, R., Satheesh, B., & Gopalakrishnan, K. (2013). Mathematical modeling and simulation of modern cars in the role of stability analysis. *Indian Journal of Science and Technology*, 6(5S), 4633-4641.
- [28] Caroline, M.L., & Vasudevan, S. (2009). Growth and characterization of bis thiourea cadmium iodide: A semiorganic single crystal. *Materials Chemistry and Physics*, 113(2-3), 670-674.
- [29] Sharmila, S., Jeyanthi Rebecca, L., & Das, M. P. (2012). Production of Biodiesel from *Chaetomorpha antennina* and *Gracilaria corticata*. *Journal of Chemical and Pharmaceutical Research*, 4(11), 4870-4874.
- [30] Thooyamani, K.P., Khanaa, V., & Udayakumar, R. (2013). An integrated agent system for e-mail coordination using jade. *Indian Journal of Science and Technology*, 6(6), 4758-4761.
- [31] Caroline, M. L., Kandasamy, A., Mohan, R., & Vasudevan, S. (2009). Growth and characterization of dichlorobis l-proline Zn (II): A semiorganic nonlinear optical single crystal. *Journal of Crystal Growth*, 311(4), 1161-1165.
- [32] Caroline, M.L., & Vasudevan, S. (2009). Growth and characterization of L-phenylalanine nitric acid, a new organic nonlinear optical material. *Materials Letters*, 63(1), 41-44.
- [33] Kaviyarasu, K., Xolile Fuku, Gene T. Mola, E. Manikandan, J. Kennedy, and M. Maaza. Photoluminescence of well-aligned ZnO doped CeO₂ nanoplatelets by a solvothermal route. *Materials Letters*, 183(2016), 351-354.
- [34] Jerin Jose, M., Artheeswari, A., Ashika, R., Ayesha, A., & Backiyalakshmi, R. (2017). Congestion Control in Vehicular network with Fair Beaconing Rate Adaptation. *The SIJ Transactions on Computer Networks & Communication Engineering (CNCE)*, 5(3), 1-3.
- [35] Saranya, D., & Sabarinathan, S. (2015). Privacy-Preserving Biometric Identification Using Neural Network Classifier with RSA. *International Journal of Advances in Engineering and Emerging Technology*, 7(5), 278-290.
- [36] Vijaya Kumar, S., Siva Sangari, A., & Dr. Sasikumar, G. (2015). An Efficient Classification Model for Stereoscopic Videos using Visual Saliency Feature Classification. *International Journal of Advances in Engineering and Emerging Technology*, 7(5), 291-305.
- [37] Shanthi, R., & Thangam, E. (2015). Speed Control of BLDC Motor Using Adaptive Fuzzy. *International Journal of Advances in Engineering and Emerging Technology*, 7(6), 306-315.
- [38] Dr. Poongodi, and Dr. Gnanavel, P. (2018). A Thorough Investigation on the Applications of IOT in Engineering. *Journal of Computational Information Systems*, 14(4), 85 - 88.
- [39] Sangeetha, S.J. & Dr. Rajendran, T. (2018). A Review of Congestion Energy HOP Based Route Aggregation for QoS Improvement in Mobile Adhoc Network. *Journal of Computational Information Systems*, 14(4), 100 - 106.
- [40] Ponnarasi, S., & Dr. Rajendran, T. (2018). Review on Wireless Sensor Network and its Secure Routing based on Middleware Sinks. *Journal of Computational Information Systems*, 14(4), 107 - 113.
- [41] Mohanraj, R., & Tamilarasi, M. (2016). Recent Trends in Foundation Engineering: Advanced Topics (Shell Foundation). *Excel International Journal of Technology, Engineering and Management*, 3(3), 65-68.
- [42] Dr. Bennet, A., Yuvarani, R., Soundarya, S., Shalini, B., & Thilagavathi, S. (2016). Performance & Analysis of Satellite Images Fusion Using Remote Sensing Applications. *Excel International Journal of Technology, Engineering and Management*, 3(3), 69-76.
- [43] Thangarevathi, S., Kavitha, K., & Boopathiraja, G. (2017). Deduction of Passengers Route Choices for Train from Android Application. *Excel International Journal of Technology, Engineering and Management*, 4(1), 1-5.
- [44] Saravanan, T., & Saritha, G. (2013). Buck converter with a variable number of predictive current distributing method. *Indian Journal of Science and Technology*, 6(5S), 4583-4588.

- [45] Parthasarathy, R., Ilavarasan, R., & Karrunakaran, C. M. (2009). Antidiabetic activity of Thespesia Populnea bark and leaf extract against streptozotocin induced diabetic rats. *International Journal of PharmTech Research*, 1(4), 1069-1072.
- [46] Hanirex, D. K., & Kaliyamurthie, K. P. (2013). Multi-classification approach for detecting thyroid attacks. *International Journal of Pharma and Bio Sciences*, 4(3), B1246-B1251
- [47] Kandasamy, A., Mohan, R., Lydia Caroline, M., & Vasudevan, S. (2008). Nucleation kinetics, growth, solubility and dielectric studies of L-proline cadmium chloride monohydrate semi organic nonlinear optical single crystal. *Crystal Research and Technology: Journal of Experimental and Industrial Crystallography*, 43(2), 186-192.
- [48] Srinivasan, V., Saravanan, T., Udayakumar, R., & Saritha, G. (2013). Specific absorption rate in the cell phone user's head. *Middle-East Journal of Scientific Research*, 16(12), 1748-50.
- [49] Udayakumar R., Khanaa V., & Saravanan T. (2013). Chromatic dispersion compensation in optical fiber communication system and its simulation, *Indian Journal of Science and Technology*, 6(6), 4762-4766.
- [50] Vijayaragavan, S.P., Karthik, B., Kiran, T.V.U., & Sundar Raj, M. (1990). Robotic surveillance for patient care in hospitals. *Middle-East Journal of Scientific Research*, 16(12), 1820-1824.