

Decoding Dental Archives: Analytical Chemistry as a Transformative Tool in Forensic Odontology

Dr. Bhanu Prakash S V^{1*}, Dr. Sowmya Ramachandrar²

^{1*}MSc Student, Forensic Dentistry, National Forensic Sciences University, Gandhinagar, Gujarat. Mail: bhanumds@gmail.com

²MSc Student, Forensic Dentistry, National Forensic Sciences University, Gandhinagar, Gujarat. Mail: drsowmya78@gmail.com

Abstract:

Forensic odontology has traditionally relied on the structural resilience and individuality of dental tissues for human identification. However, conventional methods based on morphological and radiographic assessment are often limited by subjectivity and dependence on antemortem records. In recent years, analytical chemistry has emerged as a transformative tool, enabling objective, sensitive, and reproducible evaluation of dental evidence. Teeth serve as durable biological archives, preserving molecular, structural, and elemental information even under extreme environmental conditions. Advanced analytical techniques, including spectroscopic methods, chromatography coupled with mass spectrometry, and molecular profiling, have significantly expanded the forensic applications of dental tissues. These approaches support human identification, age estimation through biochemical markers, sex determination using genetic indicators, and detection of drugs, toxins, and trace elements. Emerging developments such as chemometric analysis, multi-omics integration, and non-destructive methodologies are further enhancing analytical precision and interpretative capability. Nevertheless, challenges including lack of standardization, potential contamination, high instrumentation costs, and issues related to legal admissibility remain.

The integration of analytical chemistry into forensic odontology represents a paradigm shift toward more accurate, reliable, and scientifically robust forensic practice. This review analyses current methodologies, applications, and future directions, highlighting the growing importance of interdisciplinary approaches in advancing forensic dentistry.

Keywords

Forensic odontology, Analytical chemistry, Dental biomarkers, Mass spectrometry, Spectroscopy, Chemometrics, Human identification, Dental age estimation, Forensic toxicology

1. INTRODUCTION

Forensic odontology plays a critical role in human identification, age estimation, and medicolegal investigations owing to the exceptional durability and individuality of dental tissues. Teeth are among the most resilient structures in the human body and frequently withstand decomposition, thermal insult, trauma, and environmental degradation, making them valuable sources of forensic evidence in situations where other biological tissues are compromised. [1,4,5]

Conventional forensic dental investigations have historically relied on morphological comparison, dental charting, radiographic evaluation, and restorative pattern analysis. While these methods remain valuable, they are often constrained by dependence on antemortem records, operator subjectivity, and limited discriminatory precision in complex forensic scenarios. [1,4]

Recent advances in analytical chemistry have significantly expanded the scientific scope of forensic odontology by enabling objective, reproducible, and high-sensitivity analysis of dental tissues. Modern analytical techniques such as spectroscopy, chromatography, mass spectrometry, and molecular profiling facilitate the detection of biochemical, elemental, and genetic signatures preserved within enamel, dentin, cementum, and dental pulp. These approaches provide valuable information for human identification, age estimation, sex determination, toxicological investigations, and disaster victim identification. [3,6]

Additionally, the integration of chemometrics, machine learning, and multi-omics technologies has transformed dental evidence from a predominantly morphological tool into a molecular and data-driven forensic resource. Emerging non-destructive analytical methodologies further enhance the applicability of dental tissues in forensic investigations while preserving evidentiary integrity. [37,38,40]

This review aims to critically examine the role of analytical chemistry in contemporary forensic odontology, focusing on current methodologies, forensic applications, technological advancements, challenges, and future

perspectives. The review highlights the growing importance of interdisciplinary collaboration in advancing forensic dentistry towards greater analytical precision and evidentiary reliability.

1.1 Review Methodology

A comprehensive literature search was conducted using PubMed, Scopus, Web of Science, and Google Scholar databases to identify relevant studies related to forensic odontology and analytical chemistry. Keywords included 'forensic odontology', 'analytical chemistry', 'mass spectrometry', 'spectroscopy', 'forensic toxicology', 'dental biomarkers', 'age estimation', and 'molecular forensic analyses'. Priority was given to peer-reviewed articles published in English involving analytical applications in forensic dental science. This review follows an integrative narrative approach aimed at synthesizing current methodologies, forensic applications, emerging technologies, and future perspectives in analytical forensic odontology.

2. Dental Tissues as Forensic Substrates

Dental tissues possess exceptional forensic significance because of their resistance to decomposition, thermal insult, microbial degradation, and environmental damage. Unlike many soft tissues, teeth can remain structurally intact for prolonged periods, preserving biological, chemical, and molecular information valuable for forensic investigation. The heterogeneous composition of enamel, dentin, cementum, and dental pulp enables the application of diverse analytical chemistry techniques for identification, age estimation, toxicological analysis, and biomarker detection. In modern forensic odontology, teeth are increasingly recognized as biological archives capable of retaining elemental, isotopic, proteomic, and genetic signatures under adverse conditions. [8,22,35]

2.1 Enamel

Dental enamel is the most highly mineralized tissue in the human body, comprising approximately 96% inorganic material, primarily hydroxyapatite crystals. Its dense crystalline architecture and minimal organic content confer remarkable resistance to thermal degradation, chemical erosion, and postmortem decomposition. Consequently, enamel frequently survives conditions such as incineration, explosions, and advanced decomposition, making it a valuable forensic substrate. [6]

Analytical chemistry techniques including Fourier-transform infrared spectroscopy (FTIR), Raman spectroscopy, X-ray fluorescence (XRF), and inductively coupled plasma mass spectrometry (ICP-MS) have been employed to evaluate elemental and structural alterations in enamel. These methods facilitate the detection of trace elements, environmental exposures, dietary patterns, and thermal changes associated with burned human remains. [6,9]

Enamel also preserves isotopic signatures that may assist in geographic profiling and population differentiation. Stable isotope analysis involving strontium, oxygen, and carbon isotopes has demonstrated utility in reconstructing migration history and environmental exposure. Furthermore, age-related changes in enamel composition and crystallinity have been investigated as potential biomarkers for forensic age estimation. [21,34]

Despite its durability, enamel presents limitations due to its low organic content, which restricts DNA recovery and certain molecular analyses. [45,46,47] Nevertheless, its exceptional structural stability makes it one of the most reliable forensic substrates for elemental and spectroscopic investigations

2.2 Dentin

Dentin constitutes the major bulk of the tooth structure and contains a significantly higher organic component than enamel, primarily composed of collagen and non-collagenous proteins. This organic-rich composition enhances its applicability for biochemical and molecular investigations in forensic science.

Analytical methods such as chromatography, mass spectrometry, and proteomic profiling have been utilized to evaluate dentinal proteins and biochemical degradation patterns. Age-associated modifications in collagen cross-linking, amino acid racemization, and mineral composition have shown potential in forensic age estimation. [8,22,35]

Dentin also serves as an important reservoir for trace elements and xenobiotics. Drugs, heavy metals, and environmental contaminants incorporated during life may remain preserved within dentinal tubules, allowing retrospective toxicological evaluation. Techniques including GC-MS (Gas Chromatography – Mass Spectrometry), LC-MS/MS (Liquid Chromatography–Tandem Mass Spectrometry), and ICP-MS (Inductively Coupled Plasma Mass Spectrometry). have demonstrated effectiveness in detecting these compounds. [13]

Compared with enamel, dentin is more susceptible to postmortem degradation because of its higher organic content. However, its molecular richness significantly expands the analytical possibilities in forensic odontology.

2.3 Cementum

Cementum is a calcified connective tissue covering the root surface of teeth and plays an important role in periodontal attachment. Forensic interest in cementum primarily relates to its incremental deposition pattern, which resembles growth rings observed in trees.

Cementum annulation analysis has emerged as a valuable method for forensic age estimation. Microscopic and spectroscopic evaluation of incremental lines enables estimation of chronological age with varying degrees of

accuracy. Advanced imaging methods and digital analytical techniques have improved the reproducibility of cementum-based age assessment.

In addition to age estimation, cementum may preserve elemental and biochemical information relevant to environmental and occupational exposure. Recent investigations have explored the use of spectroscopic and elemental mapping techniques for analyzing cemental composition.

However, interpretation of cemental incremental lines can be influenced by pathological conditions, periodontal disease, and observer variability. Standardization of analytical protocols remains necessary for broader forensic application.

2.4 Dental Pulp

Dental pulp is a highly vascularized and cellular connective tissue enclosed within the rigid dentinal walls of the tooth. Owing to its protected anatomical location, pulp tissue frequently survives postmortem conditions that compromise other soft tissues, making it an important source of forensic biological material.

DNA extraction from dental pulp is widely utilized in forensic human identification, especially in cases involving decomposed, charred, or skeletonized remains. Polymerase chain reaction (PCR)-based methods, mitochondrial DNA analysis, and short tandem repeat (STR) profiling have demonstrated high reliability using pulpal tissue. [24,26,27]

In addition to genetic analysis, dental pulp has significant applications in forensic toxicology. Drugs, alcohol metabolites, heavy metals, and toxins may diffuse into pulpal tissues during life and remain detectable after death. Chromatographic and mass spectrometric techniques have been successfully employed to identify these substances in forensic investigations.

Recent studies have also explored microbial profiling and inflammatory biomarker analysis within dental pulp for postmortem interval estimation [2] and disease identification. The growing integration of molecular biology and analytical chemistry continues to expand the forensic utility of pulpal tissues.[7]

2.5 Saliva and Oral Fluids


Saliva represents an easily accessible biological fluid containing a diverse array of proteins, enzymes, hormones, nucleic acids, microorganisms, and metabolites. In forensic investigations, saliva may be recovered from bite marks, cigarettes, food remnants, envelopes, and other trace evidence.

Analytical chemistry techniques including immunoassays, LC-MS/MS, capillary electrophoresis, and molecular diagnostics have enhanced the detection and characterization of salivary biomarkers. Saliva-based forensic applications include DNA profiling, drug detection, hormonal analysis, and microbial identification. [14,15,16,18]

Oral fluids are particularly valuable in forensic toxicology because many drugs and metabolites can be detected non-invasively within saliva shortly after administration. Salivary diagnostics have also shown promise in identifying stress biomarkers, systemic diseases, and environmental exposures.

Despite its advantages, saliva is vulnerable to environmental contamination and degradation, which may affect analytical accuracy. Proper sample collection, preservation, and standardization remain essential for reliable forensic interpretation.

The diverse structural and biochemical composition of dental tissues enables the preservation of elemental, molecular, and genetic information relevant to forensic investigation. Advances in analytical chemistry have significantly improved the ability to detect, characterize, and interpret these signatures with high sensitivity and specificity. Consequently, modern forensic odontology increasingly relies on sophisticated analytical techniques such as spectroscopy, chromatography, mass spectrometry, and molecular profiling to enhance the scientific reliability of dental evidence.



3. Analytical Chemistry Techniques in Forensic Odontology

Modern analytical techniques facilitate the detection of molecular, elemental, and structural signatures preserved in teeth and associated oral materials, thereby expanding forensic capabilities beyond conventional morphological assessment. Techniques including spectroscopy, chromatography, mass spectrometry, and molecular analytical methods have become indispensable tools in contemporary forensic investigations.

3.1 Spectroscopic Techniques

Spectroscopic methods are widely employed in forensic odontology because they enable rapid, highly sensitive, and frequently non-destructive analysis of dental tissues. These techniques provide information regarding molecular composition, crystallinity, elemental distribution, and biochemical alterations associated with age, disease, environmental exposure, and postmortem changes.

3.1.1 Fourier Transform Infrared Spectroscopy (FTIR) [6,9]

Fourier Transform Infrared Spectroscopy (FTIR) is an analytical technique based on the interaction between infrared radiation and molecular bonds within a sample. FTIR enables characterization of both organic and inorganic components of dental tissues by identifying specific vibrational frequencies associated with functional groups. [6,9]

In forensic odontology, FTIR has been extensively utilized for evaluating structural and compositional changes in enamel, dentin, and bone. Alterations in phosphate, carbonate, and amide bands may provide information regarding age-related mineral changes, thermal exposure, and pathological processes. FTIR analysis has demonstrated particular utility in the examination of burned human remains, where characteristic spectral modifications assist in estimating exposure temperature and tissue degradation. [6,9,11]

Additionally, FTIR facilitates assessment of collagen degradation and mineral-organic interactions within dentin. The technique is advantageous because it requires minimal sample preparation and preserves evidentiary integrity. However, interpretation of spectral data may be influenced by sample heterogeneity and environmental contamination. [6,9]

3.1.2 Raman Spectroscopy [10]

Raman spectroscopy is a vibrational spectroscopic technique based on inelastic scattering of monochromatic light, typically generated by a laser source. The method provides detailed molecular fingerprinting of dental tissues and is particularly valuable because of its non-destructive nature and high analytical specificity. [10]

In forensic applications, Raman spectroscopy has been used to evaluate mineral composition, crystallinity changes, and thermal degradation in dental enamel and dentin. The technique can differentiate between normal and altered dental tissues while also identifying trace chemical residues, restorative materials, and environmental contaminants. [10]

Raman spectroscopy has shown promising applications in age estimation through analysis of biochemical changes within dental tissues. Furthermore, it has demonstrated utility in distinguishing human teeth from animal teeth and identifying microscopic alterations associated with high-temperature exposure in forensic fire investigations. [10]

Despite its advantages, fluorescence interference and high instrumentation costs may limit routine forensic implementation. Nevertheless, continuing technological improvements are enhancing its applicability in forensic laboratories.

3.1.3 Ultraviolet-Visible (UV-Vis) Spectroscopy

Ultraviolet-Visible spectroscopy evaluates the absorption of ultraviolet and visible light by chemical compounds. In forensic odontology, UV-Vis spectroscopy has primarily been applied in biochemical assays and toxicological investigations involving dental tissues and oral fluids. [12]

The technique is useful for quantifying proteins, pigments, metabolites, and certain drug compounds extracted from dental substrates. UV-Vis spectroscopy has also been employed in studies evaluating age-related biochemical changes and mineral content variation within teeth.

Although less structurally informative than FTIR or Raman spectroscopy, UV-Vis methods remain valuable because of their simplicity, affordability, and rapid analytical capability. Their accessibility makes them suitable for preliminary forensic screening procedures. [6,9,12]

3.1.4 X-Ray Fluorescence Spectroscopy (XRF)

X-Ray Fluorescence spectroscopy is a non-destructive elemental analysis technique capable of identifying and quantifying trace elements within dental tissues. XRF operates by measuring characteristic secondary X-rays emitted after excitation of atoms by an external X-ray source. [6]

In forensic odontology, XRF has been used for elemental profiling of enamel and dentin, enabling evaluation of environmental exposure, dietary habits, occupational contamination, and geographic origin. Trace elements such as strontium, zinc, lead, copper, and iron may provide valuable forensic information regarding lifestyle and environmental history.

Portable XRF devices have further expanded forensic applicability by enabling rapid on-site elemental analysis with minimal sample preparation. The method has also demonstrated utility in examining burned remains and identifying heavy metal exposure.

However, XRF may exhibit limited sensitivity for ultra-trace elemental detection when compared with advanced mass spectrometric methods. Matrix effects and overlapping elemental peaks may additionally complicate interpretation.

3.2 Chromatographic Techniques

Chromatographic methods play a central role in forensic analytical chemistry because they enable separation, identification, and quantification of complex chemical mixtures. In forensic odontology, chromatographic techniques are widely employed for toxicological investigations, biomarker analysis, and detection of drugs, metabolites, and environmental contaminants within dental tissues and oral fluids.

3.2.1 Gas Chromatography-Mass Spectrometry (GC-MS) [13]

Gas Chromatography-Mass Spectrometry combines chromatographic separation with mass-based molecular identification, providing high analytical sensitivity and specificity. GC-MS is particularly suitable for analyzing volatile and semi-volatile compounds. [13]

In forensic odontology, GC-MS has been utilized for detecting drugs of abuse, alcohol metabolites, toxins, and decomposition-related compounds in dental tissues and saliva. Teeth can serve as long-term reservoirs for xenobiotics, allowing retrospective toxicological analysis even in decomposed remains. [13]

GC-MS has also demonstrated applications in identifying accelerants and chemical residues associated with forensic fire investigations involving human remains. The technique provides reliable molecular characterization through fragmentation pattern analysis and spectral library comparison. [13]

Despite its analytical robustness, GC-MS often requires extensive sample preparation and derivatization procedures for certain compounds. Instrumental complexity and operational costs may also restrict widespread availability. [13]

3.2.2 Liquid Chromatography-Mass Spectrometry (LC-MS)

Liquid Chromatography coupled with tandem Mass Spectrometry (LC-MS/MS) represents one of the most powerful analytical platforms in modern forensic science. Unlike GC-MS, LC-MS/MS is particularly effective for analyzing thermally unstable, polar, and high-molecular-weight compounds. [13]

Applications in forensic odontology include detection of pharmaceuticals, narcotics, toxins, peptides, and biochemical markers within dental pulp, dentin, and saliva. LC-MS/MS has demonstrated exceptional sensitivity in detecting trace-level substances preserved within dental tissues following prolonged postmortem intervals. [14,15,16,18]

The technique is increasingly employed in forensic biomarker discovery and metabolomic studies aimed at improving age estimation and disease profiling. Its ability to simultaneously analyze multiple analytes enhances efficiency and analytical depth.

However, matrix complexity, ion suppression effects, and the requirement for advanced technical expertise remain significant challenges in LC-MS/MS-based forensic analysis. [14,15,16,18]

3.2.3 High-Performance Liquid Chromatography (HPLC) [15,16]

High-Performance Liquid Chromatography is widely used for separation and quantification of non-volatile compounds in forensic samples. HPLC applications in forensic odontology include analysis of amino acids, proteins, metabolites, and drug compounds within dental tissues.

HPLC has been investigated for age estimation studies involving amino acid racemization and collagen degradation products. The technique additionally supports toxicological investigations by enabling detection of therapeutic and illicit substances within oral fluids and dental structures.

Compared with advanced tandem mass spectrometric systems, HPLC may offer lower analytical specificity. Nevertheless, its reproducibility, versatility, and relatively lower operational complexity maintain its importance in forensic laboratories.

While spectroscopic and chromatographic techniques provide valuable compositional and separation-based analysis, mass spectrometry offers highly sensitive molecular characterization capable of identifying trace compounds, proteins, isotopes, and elemental signatures with exceptional analytical precision. The integration of

mass spectrometric approaches into forensic odontology has substantially enhanced the scientific reliability and evidentiary value of dental investigations.

3.3 Mass Spectrometry-Based Approaches in Forensic Odontology^[17]

Mass spectrometry-based analytical techniques have significantly expanded the investigative capabilities of forensic odontology by enabling sensitive characterization of biomolecular, elemental, and toxicological signatures preserved within dental tissues.

3.3.1 Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry (MALDI-TOF MS) ^[17]

Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry (MALDI-TOF MS)^[17] is a soft ionization technique capable of analyzing biomolecules with minimal fragmentation. The technique utilizes laser energy absorbed by a matrix compound to ionize analytes, which are subsequently separated according to their mass-to-charge ratio.

In forensic odontology, MALDI-TOF MS^[17] has demonstrated considerable potential for proteomic evaluation of enamel, dentin, and dental pulp. Protein signatures preserved within dental tissues may assist forensic odontologists in human identification, age estimation, and differentiation between human and non-human remains. The technique is particularly valuable in cases involving degraded, skeletonized, or thermally altered remains where conventional morphological identification becomes challenging. ^[8,22,35]

Recent investigations have explored MALDI imaging mass spectrometry for spatial mapping of biomolecules within dental structures. This approach enables visualization of molecular distribution patterns while preserving tissue architecture, thereby enhancing interpretation of odontological evidence.

The major advantages of MALDI-TOF MS^[17] include rapid analysis, high-throughput capability, and minimal sample consumption. However, limitations including matrix interference, sample preparation variability, and restricted forensic reference databases continue to affect routine implementation in forensic dental laboratories.

3.3.2 Inductively Coupled Plasma Mass Spectrometry (ICP-MS) ^[19,23]

Inductively Coupled Plasma Mass Spectrometry (ICP-MS) is an ultra-sensitive elemental analytical technique capable of detecting trace and ultra-trace elements within dental tissues. The method operates by ionizing analytes in a high-temperature plasma followed by mass-based elemental detection. ^[19,23]

In forensic odontology, ICP-MS is extensively employed for elemental characterization of enamel, dentin, and cementum. Dental tissues accumulate trace elements throughout life, reflecting environmental exposure, dietary habits, occupational conditions, and geographic origin. Elements such as strontium, zinc, lead, cadmium, copper, and mercury may provide valuable forensic information regarding an individual's lifestyle and exposure history. ^[19,23]

ICP-MS also contributes significantly to forensic dental identification in disaster victim investigations involving burned or decomposed remains. Because enamel demonstrates remarkable resistance to postmortem degradation,^[29] elemental and isotopic signatures may remain preserved even under extreme environmental conditions. ^[19,23]

Additionally, isotopic profiling using ICP-MS has shown utility in geographic provenance studies and migration analysis by evaluating stable isotopes incorporated into dental tissues during development. Age-related elemental variations and pathological mineral alterations have also been investigated as potential forensic biomarkers. ^[19,23] Despite its excellent analytical sensitivity and multi-element detection capability, ICP-MS requires expensive instrumentation, specialized technical expertise, and frequently involves destructive sample preparation procedures. ^[19,23]

3.3.3 Tandem Mass Spectrometry (MS/MS)

Tandem Mass Spectrometry (MS/MS) involves sequential stages of mass analysis that enable enhanced structural characterization and highly selective compound identification through fragmentation of precursor ions into diagnostic product ions.

In forensic odontology, tandem mass spectrometric methods are commonly integrated with chromatographic systems such as LC-MS/MS and GC-MS/MS for toxicological and biomolecular investigations involving dental tissues and oral fluids. These techniques facilitate sensitive detection of drugs, pharmaceuticals, metabolites, toxins, and environmental contaminants preserved within dentin, dental pulp, and saliva. Consequently, MS/MS-based toxicological analysis is particularly valuable in forensic dental investigations involving decomposed or skeletonized remains where conventional biological specimens are unavailable. ^[13,20]

Recent developments in high-resolution tandem mass spectrometry have further enhanced metabolomic and proteomic investigations associated with forensic dental age estimation, biomarker identification, and postmortem

biochemical analysis. Nevertheless, analytical complexity, high operational costs, and challenges in data interpretation continue to limit widespread forensic implementation. [8,22,35]

3.3.4 Isotope Ratio Mass Spectrometry (IRMS)

Isotope Ratio Mass Spectrometry (IRMS) is an analytical technique used to determine the relative abundance of stable isotopes within biological tissues. In forensic odontology, IRMS has emerged as an important tool for geographic profiling, dietary reconstruction, and human identification. [49]

Stable isotopes such as carbon, oxygen, nitrogen, hydrogen, and strontium become incorporated into dental tissues during tooth development and may remain preserved throughout life because enamel undergoes minimal remodeling after formation. These isotopic signatures reflect environmental conditions, dietary intake, and geographic residence during early life stages. [21,34]

In forensic dental investigations, IRMS assists in identification of unknown individuals by reconstructing migration patterns and environmental exposure history. The technique has shown increasing value in mass disaster victim identification, anthropological investigations, and cases involving unidentified human remains.

Furthermore, isotopic analysis of dental tissues may aid forensic odontologists in distinguishing regional population characteristics and assessing long-term nutritional patterns relevant to biological profiling.

However, interpretation of isotopic data may be complicated by overlapping environmental signatures, dietary variability, and limited regional reference databases. Standardization of isotopic forensic protocols remains necessary for broader forensic odontological application.

3.4 Molecular and Genetic Analytical Methods in Forensic Odontology

Molecular and genetic analytical methods have transformed forensic odontology by enabling highly reliable analysis of dental tissues for human identification and biological profiling. Teeth provide a protected microenvironment for preservation of nucleic acids and biomolecules even in decomposed, skeletonized, or thermally damaged remains, making them one of the most dependable forensic sources for genetic investigation. [49]

3.4.1 Polymerase Chain Reaction (PCR) [25]

Polymerase Chain Reaction (PCR) is a molecular amplification technique that enables exponential replication of specific DNA sequences from minute biological samples. PCR has become a cornerstone of forensic dental genetics because of its exceptional sensitivity and specificity. [25]

In forensic odontology, PCR-based methods are extensively utilized for amplifying DNA extracted from dental pulp, dentin, and occasionally cementum. Teeth frequently preserve amplifiable DNA even after exposure to decomposition, incineration, environmental degradation, and prolonged postmortem intervals.

PCR plays a critical role in forensic dental identification involving charred remains, aviation disasters, natural calamities, criminal investigations, and mass fatality incidents. Short Tandem Repeat (STR) profiling following PCR amplification remains one of the most reliable methods for establishing individual identity from dental evidence.

Despite its effectiveness, PCR analysis may be affected by contamination, degraded nucleic acids, and inhibitory substances present within forensic specimens. Consequently, strict laboratory protocols and contamination control measures are essential for ensuring analytical validity in forensic dental investigations.

3.4.2 Mitochondrial DNA Analysis [26]

Mitochondrial DNA (mtDNA) analysis is particularly valuable in forensic odontology because mitochondrial DNA is present in substantially higher copy numbers than nuclear DNA, thereby increasing the likelihood of successful recovery from degraded dental tissues. [26]

Dental structures provide a protected environment for preservation of mtDNA in cases involving severe decomposition, thermal damage, and skeletonization where nuclear DNA analysis may fail. Consequently, mtDNA analysis is widely utilized in forensic dental investigations involving unidentified remains, disaster victim identification, and missing persons cases.

Although mitochondrial DNA possesses lower discriminatory power than nuclear STR analysis because of maternal inheritance patterns, it remains an indispensable molecular tool in complex odontological investigations involving compromised biological evidence. [26]

3.4.3 Sex Determination Using Genetic Markers

Genetic analysis of dental tissues contributes significantly to forensic sex determination through identification of sex-specific molecular markers such as the amelogenin gene. The amelogenin locus exhibits characteristic differences between X and Y chromosomes, enabling molecular differentiation between male and female individuals. [28]

PCR amplification of amelogenin and related genetic markers from dental pulp and dentin has demonstrated high reliability even in degraded forensic dental specimens. Additional Y-chromosome-specific markers may further improve analytical accuracy in challenging forensic cases.

Molecular sex determination offers substantial advantages in forensic odontology, particularly when skeletal morphology is inconclusive because of fragmentation, thermal destruction, immaturity, or advanced decomposition.

3.4.4 Epigenetic and Molecular Biomarker Analysis

Emerging research in forensic odontology increasingly focuses on epigenetic modifications and molecular biomarkers associated with aging, environmental exposure, disease processes, and postmortem alterations within dental tissues.

DNA methylation patterns, microRNA expression profiles, protein degradation markers, and biochemical modifications within dentin and dental pulp have demonstrated potential applications in forensic dental age estimation and biological profiling. These biomarkers may provide objective molecular indicators capable of improving the precision and reproducibility of forensic odontological analysis. [30,32]

Advanced molecular analytical techniques integrated with bioinformatics, chemometrics, and machine learning approaches may further enhance interpretation of dental evidence in the future. However, these methodologies remain under active investigation and require extensive validation before routine implementation in forensic dental practice.

Technique	Principle	Dental Substrate	Forensic Application	Advantages	Limitations
FTIR Spectroscopy	Infrared absorption by molecular bonds	Enamel, dentin	Age estimation, thermal analysis	Non-destructive, rapid	Spectral overlap
Raman Spectroscopy	Inelastic light scattering	Enamel, dentin	Burned remains analysis, mineral characterization	Highly specific, minimal preparation	Fluorescence interference
XRF	Elemental emission analysis	Enamel, dentin	Trace element profiling, environmental exposure	Portable, non-destructive	Lower sensitivity for ultra-trace elements
HPLC	Liquid-phase compound separation	Dentin, pulp	Amino acid racemization, toxicology*	High reproducibility	Limited molecular specificity
GC-MS	Gas chromatography with mass analysis	Dental tissues, saliva	Drug and toxin detection	High sensitivity	Extensive sample preparation
LC-MS/MS	Liquid chromatography with tandem MS	Pulp, saliva, dentin	Toxicological and biomarker analysis	Extremely sensitive	Expensive instrumentation
MALDI-TOF MS	Laser ionization mass spectrometry	Enamel, dentin	Proteomics, age estimation	Rapid analysis	Database limitations
ICP-MS	Plasma-based elemental analysis	Enamel, dentin, cementum	Isotope and trace element profiling	Ultra-trace sensitivity	Destructive preparation
PCR	DNA amplification	Pulp, dentin	Human identification	High specificity	Contamination risk
mtDNA Analysis	Mitochondrial genetic profiling	Dental pulp	Identification in degraded remains	Stable in degraded samples	Lower discriminatory power

Table 1. Major analytical chemistry techniques used in forensic odontology and their forensic applications




Figure 2. Workflow of analytical forensic odontology.

Parameter	Spectroscopic (FTIR, Raman, UV-Vis, XRF)	Chromatographic (HPLC, GC, LC-MS)	Mass Spectrometric (ICP-MS, LC-MS/MS, MALDI-TOF MS)
Sensitivity	Moderate (ppm–ppb)	High (ppb–ppt)	Very high (ppt–ppq)
Specificity	Moderate; structural/elemental info	High; compound separation	Very high; molecular/elemental ID
Destructive	Mostly non-destructive; minimal prep	Generally destructive; extraction/derivatization	Mostly destructive; ionization/sample use
Cost	Moderate	High	Very high
Applications	Structure, minerals, burned remains, exposure, age	Drugs/toxins, metabolites, toxicology, organics	Trace elements, proteomics, isotopes, biomarkers
Strength	Rapid, versatile, screening	Excellent separation & quantification	Ultra-sensitive, highly specific characterization

Table 2. Comparative overview of spectroscopic, chromatographic, and mass spectrometric techniques in forensic odontology.

4. Applications of Analytical Chemistry in Forensic Odontology

Analytical chemistry-based approaches currently support multiple forensic odontological applications, including human identification, age estimation, sex determination, toxicological evaluation, disaster victim identification, and analysis of degraded biological remains. [49]

4.1 Human Identification Using Dental Biomolecular Signatures [49]

Human identification remains one of the primary objectives of forensic odontology. When fingerprints, facial features, or soft tissues become compromised, teeth frequently remain intact and continue to provide valuable biological information. [49]

Traditional forensic dental identification relies heavily on comparison of antemortem and postmortem dental records, including restorations, crown morphology, radiographic findings, and occlusal characteristics. However, analytical chemistry has significantly strengthened identification accuracy through biomolecular and elemental characterization of dental tissues.

Mass spectrometric and molecular analytical methods enable identification through protein profiling, DNA analysis, and elemental mapping of enamel, dentin, and dental pulp. STR profiling from pulpal DNA remains one of the most reliable approaches for establishing individual identity, particularly in cases involving decomposed or incinerated remains.

Additionally, isotopic analysis of dental tissues may provide information regarding geographic origin, migration history, and environmental exposure, thereby assisting in narrowing the identity of unknown individuals. Trace elemental profiling using ICP-MS and XRF further contributes to biological characterization by identifying lifestyle- and environment-related signatures retained within teeth. [19,23]

The integration of analytical chemistry with conventional forensic dental examination has therefore improved the objectivity, reproducibility, and evidentiary strength of human identification procedures. [49]

4.2 Forensic Dental Age Estimation

Age estimation is an essential component of forensic odontology and plays an important role in criminal investigations, disaster victim identification, immigration cases, archaeological investigations, and age-disputed legal proceedings.

Conventional dental age estimation methods are primarily based on eruption patterns, root development, attrition, and radiographic assessment. Although useful, these approaches may exhibit reduced accuracy in adults and are often influenced by population variability and observer interpretation.

Analytical chemistry-based methods have introduced more objective strategies for forensic dental age estimation through evaluation of biochemical, molecular, and structural alterations occurring within dental tissues over time. One of the most extensively studied approaches involves amino acid racemization, particularly aspartic acid racemization within dentin. Progressive conversion of L-aspartic acid to D-aspartic acid occurs with advancing age

and can be quantitatively analyzed using chromatographic techniques such as HPLC. This method has demonstrated relatively high accuracy in adult age estimation.

Spectroscopic methods including FTIR and Raman spectroscopy have also been utilized to evaluate age-associated alterations in mineral crystallinity, collagen composition, and phosphate-carbonate ratios within enamel and dentin. These biochemical changes may serve as molecular indicators of chronological aging. [6,9]

Cementum annulation analysis represents another important forensic dental age estimation technique. Incremental lines deposited within cementum can be microscopically and chemically evaluated to estimate chronological age. Recent advances integrating digital imaging and analytical chemistry have improved reproducibility of cemental analysis.

Emerging molecular approaches involving DNA methylation, protein degradation markers, and metabolomic profiling further demonstrate potential for improving the precision of forensic age estimation. However, variations associated with disease, nutrition, environmental exposure, and ethnicity continue to influence analytical interpretation. [30,32]

4.3 Sex Determination Through Dental Biomarkers

Sex determination constitutes a critical aspect of forensic identification, particularly in cases involving fragmented, decomposed, or burned human remains where conventional skeletal analysis becomes difficult.

Analytical chemistry integrated with molecular biology has therefore enhanced the reliability of sex estimation in forensic odontology. PCR-based amplification of the amelogenin gene from dental pulp and dentin remains one of the most widely utilized molecular methods for sex determination. Differences in the amelogenin loci present on X and Y chromosomes permit reliable differentiation between male and female individuals. [28]

Advanced proteomic analysis has additionally demonstrated potential for sex estimation through identification of sex-linked protein isoforms preserved within enamel and dentinal proteins. Mass spectrometry-based peptide analysis has shown increasing applicability in cases where DNA degradation limits conventional genetic analysis. [8,22,35]

Elemental and biochemical variations associated with hormonal and metabolic differences have also been investigated as supplementary indicators for sex differentiation in forensic dental studies. However, these methods currently remain adjunctive rather than definitive.

The integration of genetic, proteomic, and biochemical analytical methods has therefore improved the scientific reliability of sex determination using dental evidence. [8,22,35]

4.4 Forensic Toxicology Using Dental Tissues

Dental tissues serve as long-term biological reservoirs capable of retaining drugs, toxins, heavy metals, and environmental contaminants incorporated during life. Because teeth are highly resistant to decomposition and environmental degradation, they possess significant value in forensic toxicology, particularly in cases involving advanced decomposition or skeletonization.

Analytical techniques such as GC-MS, LC-MS/MS, ICP-MS, and HPLC enable sensitive detection and quantification of xenobiotics preserved within enamel, dentin, cementum, and dental pulp. [13]

Drugs of abuse including opioids, cocaine, amphetamines, cannabinoids, and benzodiazepines have been successfully identified in dental tissues long after death. Similarly, toxic metals such as lead, arsenic, cadmium, and mercury may accumulate within teeth and provide evidence of chronic poisoning or occupational exposure.

Dental pulp is particularly useful for toxicological analysis because of its vascularity and protected anatomical location. In situations where blood or soft tissues are unavailable, pulpal tissue may provide valuable toxicological evidence. [20]

Analytical toxicology involving teeth also contributes to retrospective exposure analysis, enabling reconstruction of long-term drug use patterns and environmental exposure history. Such investigations may possess forensic relevance in criminal, occupational, environmental, and anthropological contexts.

Despite these advantages, interpretation of toxicological findings in dental tissues remains challenging because of variability in deposition rates, postmortem diffusion, and absence of universally standardized reference values.

4.5 Analysis of Burned and Decomposed Remains

One of the most important applications of forensic odontology involves identification of severely burned, decomposed, or fragmented human remains.

Analytical chemistry has significantly improved forensic evaluation of thermally altered dental tissues. Spectroscopic techniques such as FTIR and Raman spectroscopy facilitate assessment of heat-induced structural and biochemical alterations within enamel and dentin. Characteristic spectral changes may assist in estimating exposure temperature and degree of thermal degradation. [6,9]

Elemental and isotopic analyses additionally remain feasible in many burned dental specimens because enamel retains considerable structural integrity even after exposure to extreme temperatures. These approaches contribute to human identification and environmental profiling in disaster victim investigations. [49]

Mass spectrometric and molecular analytical methods may also permit recovery of proteins and nucleic acids from protected dental tissues in certain thermally altered specimens. Consequently, forensic odontologists increasingly rely on integrated analytical approaches for identification in aviation accidents, explosions, natural disasters, and mass fatality incidents.

However, extensive thermal destruction may still compromise molecular preservation and complicate analytical interpretation. Further research is required to standardize analytical protocols for burned dental evidence.

4.6 Salivary and Bite Mark Evidence Analysis

Saliva represents an important source of forensic evidence because it contains DNA, proteins, enzymes, metabolites, microorganisms, and xenobiotics relevant to forensic investigation. Salivary traces may be recovered from bite marks, cigarettes, food remnants, clothing, and various objects encountered at crime scenes.

Analytical chemistry-based techniques including PCR, LC-MS/MS, immunoassays, and proteomic profiling enhance the identification and characterization of salivary evidence. DNA recovered from saliva remains particularly valuable in forensic human identification and criminal investigations. [14,15,16,18]

Salivary biomarker analysis has additionally demonstrated potential applications in drug detection, hormonal analysis, microbial profiling, and stress-related biomarker evaluation. Oral microbial signatures may contribute supplementary information regarding individual identification and postmortem changes.

Bite mark investigations may also benefit from biochemical and molecular characterization of salivary residues associated with patterned injuries. However, bite mark interpretation remains controversial because of concerns regarding reproducibility and evidentiary reliability.

Consequently, modern forensic odontology increasingly emphasizes objective molecular and analytical approaches over purely morphological bite mark comparison methods.

5. Emerging Trends and Advanced Innovations in Forensic Odontology

Rapid advances in analytical chemistry, molecular biology, bioinformatics, and computational sciences are continuously reshaping the landscape of forensic odontology. Contemporary forensic dental investigations are progressively transitioning from conventional morphological assessment toward integrated molecular, biochemical, and data-driven analytical approaches. Emerging technologies aim to improve analytical sensitivity, reduce subjectivity, preserve evidentiary integrity, and enhance the overall reliability of forensic dental interpretation.

These innovations are expanding the diagnostic potential of dental tissues and are expected to play an increasingly significant role in future forensic investigations.

Application	Analytical Approaches	Forensic Significance
Human Identification	PCR, STR profiling, isotope analysis	Identification of unknown individuals
Age Estimation	Aspartic acid racemization, FTIR, Raman spectroscopy	Estimation of chronological age
Sex Determination	Amelogenin gene analysis, proteomics	Biological profiling
Toxicological Analysis	GC-MS, LC-MS/MS, ICP-MS	Detection of drugs and toxins
Burned Remains Analysis	Raman spectroscopy, FTIR, elemental profiling	Disaster victim identification
Salivary Evidence Analysis	PCR, proteomics, immunoassays	Bite mark and DNA investigations
Environmental Exposure Assessment	ICP-MS, XRF, isotope analysis	Geographic and occupational profiling

Table 3. Applications of analytical chemistry in forensic odontology




Figure 3. Applications of analytical chemistry in forensic odontology

5.1 Multi-Omics Approaches in Forensic Odontology

The integration of genomics, proteomics, metabolomics, and transcriptomics has introduced a multi-dimensional approach to forensic dental analysis. Multi-omics methodologies enable simultaneous evaluation of diverse biological molecules preserved within dental tissues, thereby providing comprehensive molecular information relevant to forensic identification and biological profiling. [8,22,35]

Proteomic analysis of enamel, dentin, and dental pulp has demonstrated potential applications in human identification, species differentiation, sex estimation, and age estimation. Unlike DNA, certain proteins may remain stable even in thermally degraded or environmentally compromised remains, increasing their forensic value. [8,22,35]

Metabolomic profiling using advanced chromatographic and mass spectrometric techniques has further expanded the ability to identify biochemical alterations associated with aging, disease processes, environmental exposure, and postmortem changes within dental tissues.

Transcriptomic and epigenetic investigations involving microRNA expression and DNA methylation patterns are also emerging as promising tools for forensic dental age estimation and tissue characterization. [30,32]

Although multi-omics approaches offer substantial analytical depth, challenges involving data integration, interpretation complexity, high costs, and lack of standardized forensic databases currently limit routine implementation.

5.2 Artificial Intelligence and Machine Learning in Forensic Dental Analysis [38,40,50,51,52]

Artificial intelligence (AI) and machine learning are increasingly being integrated into forensic odontology to improve analytical precision, pattern recognition, and decision-making processes. [38,40,50,51,52]

Machine learning algorithms can analyze large datasets generated through spectroscopic, radiographic, proteomic, and molecular investigations, enabling identification of complex patterns that may not be easily detectable through conventional analysis. [8,22,35]

Applications of AI in forensic odontology include:

- automated dental age estimation,
- radiographic comparison,
- dental pattern recognition,
- bite mark analysis,
- biomarker classification,
- predictive forensic modeling.

AI-assisted chemometric analysis has shown particular promise in interpreting complex spectroscopic and mass spectrometric datasets obtained from dental tissues. Integration of computational analytics may reduce observer bias and improve reproducibility in forensic dental investigations.

However, concerns related to algorithm transparency, database quality, ethical considerations, and legal admissibility remain significant challenges. Extensive validation and standardization are necessary before widespread forensic implementation can be achieved. [42]

5.3 Non-Destructive Analytical Techniques

Preservation of evidentiary integrity is a critical consideration in forensic odontology. Consequently, increasing emphasis is being placed on development of non-destructive and minimally invasive analytical methodologies capable of preserving dental structures during examination.

Techniques such as Raman spectroscopy, FTIR spectroscopy, micro-computed tomography (micro-CT), portable XRF, and optical coherence tomography enable detailed structural and biochemical evaluation of dental tissues without extensive sample destruction. [6,9]

Non-destructive approaches are particularly valuable in:

- disaster victim identification,
- archaeological investigations,
- historical remains analysis,
- cases involving limited or irreplaceable specimens.

Micro-CT imaging has demonstrated substantial utility in evaluating internal dental morphology, restorations, developmental anomalies, and age-associated structural alterations. Similarly, portable spectroscopic devices permit rapid on-site forensic screening of dental evidence.

The growing adoption of non-destructive analytical techniques reflects the evolving emphasis on evidence preservation and repeatable forensic examination.

5.4 Nanoanalytical and Biosensor Technologies [44]

Nanotechnology-based analytical platforms are emerging as promising tools for highly sensitive forensic dental investigations. Nanoanalytical systems possess the ability to detect minute concentrations of biomolecules, toxins, and trace elements within dental tissues and oral fluids.

Biosensors integrated with nanomaterials may facilitate rapid chairside detection of drugs, biomarkers, pathogens, and environmental contaminants relevant to forensic investigations. These technologies offer advantages including reduced sample requirements, rapid turnaround time, portability, and enhanced analytical sensitivity. [44]

Nanoparticle-assisted spectroscopic methods have also improved signal amplification in molecular detection techniques such as surface-enhanced Raman spectroscopy (SERS), thereby increasing forensic detection capability. [10]

Although still largely experimental in forensic odontology, nanoanalytical technologies may significantly influence future forensic dental diagnostics and field-based investigations.

5.5 Digital and Virtual Forensic Odontology

Digital technologies are increasingly transforming forensic dental workflows through enhanced imaging, data storage, and computational analysis. [40,41]

Three-dimensional imaging, digital dental records, intraoral scanning, and virtual reconstruction technologies improve documentation and comparison of dental evidence. Digital forensic odontology additionally facilitates remote consultation, database integration, and international collaboration during disaster victim identification procedures.

Computer-assisted superimposition techniques and virtual dental reconstruction have shown utility in identification of fragmented or damaged remains. Integration of digital radiography with analytical chemistry data may further improve multidimensional forensic interpretation.

The development of centralized digital forensic dental databases and AI-assisted comparative systems is expected to enhance the speed and reliability of future forensic identification procedures. [39]

However, cybersecurity concerns, data privacy issues, and the need for standardized digital protocols remain important considerations.

5.6 Portable and Field-Deployable Analytical Systems

Recent technological advances have enabled development of portable analytical instruments suitable for field-based forensic investigations. Portable Raman spectrometers, handheld XRF devices, and compact mass spectrometric systems allow rapid preliminary analysis of dental evidence directly at disaster sites and crime scenes.

Field-deployable analytical systems offer several advantages:

- reduced sample transportation,
- rapid forensic screening,
- immediate preliminary interpretation,
- preservation of fragile evidence.

These portable technologies may prove particularly valuable in mass disaster investigations, remote forensic settings, and humanitarian forensic operations where conventional laboratory infrastructure is limited.

Despite promising developments, portable systems may currently exhibit reduced analytical sensitivity and limited operational capability compared with full laboratory instrumentation. Continued technological refinement is expected to improve their future applicability in forensic odontology.

Although emerging analytical technologies continue to strengthen the scientific capabilities of forensic odontology, several technical, ethical, financial, and legal challenges still limit their routine implementation. Standardization of methodologies, validation of analytical protocols, and establishment of universally accepted forensic guidelines remain essential for ensuring reliability and admissibility of analytical dental evidence in medicolegal practice. [42]




Figure 4. Emerging technologies and future directions in analytical forensic odontology

Emerging Technology	Potential Application	Future Impact
Artificial Intelligence	Automated forensic interpretation	Reduced observer bias
Multi-Omics Analysis	Integrated biological profiling	Improved identification accuracy
Portable Spectroscopy	Field-based forensic analysis	Rapid disaster response
Nanoanalytical Biosensors	Trace biomarker detection	Enhanced analytical sensitivity
Micro-CT Imaging	Non-destructive dental analysis	Improved structural evaluation
Machine Learning Chemometrics	Spectral pattern analysis	Advanced data interpretation
Digital Dental Databases	Comparative identification systems	Faster forensic matching

Table 4. Emerging technologies and future impact in analytical forensic odontology

6. Challenges and Limitations in Analytical Forensic Odontology

Despite substantial advancements in analytical chemistry and molecular technologies, several limitations continue to affect the routine application of advanced analytical methods in forensic odontology. Technical variability, lack of standardization, financial constraints, evidentiary concerns, and interpretational challenges remain significant obstacles to the widespread forensic implementation of these techniques.

Addressing these limitations is essential for improving the reliability, reproducibility, and legal admissibility of analytical dental evidence in medicolegal investigations.

6.1 Lack of Standardized Analytical Protocols

One of the major challenges in analytical forensic odontology is the absence of universally standardized protocols for sample collection, processing, storage, and analysis. Variability in analytical methodologies may significantly influence reproducibility and comparability of forensic findings across laboratories.

Differences in instrumentation, calibration procedures, extraction techniques, and analytical thresholds can produce inconsistent results, particularly in spectroscopic, proteomic, and molecular investigations involving dental tissues. [8,22,35]

Forensic age estimation methods such as amino acid racemization, cementum annulation analysis, and DNA methylation profiling frequently demonstrate methodological variability between studies. Similarly, toxicological interpretation of dental tissues remains complicated because of limited standardized reference ranges for xenobiotic deposition within teeth. [30,32]

The establishment of validated international forensic guidelines and reference databases is therefore essential for improving analytical consistency in forensic odontology.

6.2 Sample Contamination and Degradation

Dental evidence recovered from crime scenes, disaster sites, or decomposed remains may be highly vulnerable to contamination and postmortem degradation. [29] Environmental exposure, microbial activity, handling errors, and improper storage conditions can compromise analytical accuracy.

Molecular investigations involving DNA and protein analysis are particularly susceptible to contamination from external biological material. Similarly, trace elemental analysis may be affected by environmental deposition and postmortem chemical alteration.

Although teeth provide relatively protected environments for preservation of biomolecules, extreme thermal exposure, prolonged decomposition, and environmental insults may still degrade nucleic acids, proteins, and metabolites required for forensic interpretation.

Strict contamination control protocols, chain-of-custody maintenance, and standardized specimen handling procedures remain critical for ensuring analytical reliability.

6.3 High Instrumentation and Operational Costs

Many advanced analytical technologies employed in forensic odontology require expensive instrumentation, specialized laboratory infrastructure, and highly trained personnel.

Techniques such as:

- LC-MS/MS, [14,15,16,18]
- ICP-MS, [19,23]
- MALDI-TOF MS,
- next-generation sequencing,
- high-resolution spectroscopic systems

often involve substantial acquisition, maintenance, and operational costs. Financial limitations may therefore restrict access to advanced forensic analytical facilities, particularly in resource-limited institutions and developing regions.

Additionally, interpretation of complex analytical datasets frequently requires multidisciplinary expertise involving forensic odontologists, analytical chemists, molecular biologists, and bioinformaticians.

The high economic burden associated with advanced analytical methods remains a major barrier to widespread clinical and forensic implementation.

6.4 Complexity of Data Interpretation

Modern analytical techniques generate extensive and highly complex datasets that may complicate forensic interpretation. Spectroscopic profiles, proteomic signatures, metabolomic patterns, and molecular biomarkers often require advanced statistical and computational analysis for meaningful interpretation. [8,22,35]

Inter-individual variability, environmental influences, disease conditions, dietary factors, and population differences may further affect analytical outcomes and complicate interpretation of forensic findings.

Chemometric and artificial intelligence-based analytical approaches offer promising solutions for handling large datasets; however, these methods also introduce concerns regarding algorithm transparency, reproducibility, and interpretational bias. [38,40,50,51,52]

Consequently, analytical findings should be interpreted cautiously within appropriate forensic and biological contexts rather than in isolation.

6.5 Legal and Evidentiary Challenges

Forensic evidence presented in legal proceedings must satisfy standards of scientific validity, reproducibility, and admissibility. Emerging analytical techniques in forensic odontology frequently face scrutiny regarding methodological validation and evidentiary reliability.

Certain forensic applications, particularly bite mark analysis, have attracted criticism because of concerns related to subjectivity and insufficient scientific standardization. Consequently, there is increasing emphasis on objective molecular and analytical approaches capable of providing quantifiable and reproducible forensic evidence.

Courts may additionally question:

- analytical error rates,
- population variability,
- database adequacy,
- limitations of novel technologies.

Comprehensive validation studies and internationally accepted forensic standards are therefore essential for strengthening the legal credibility of advanced analytical methods in forensic odontology.

6.6 Ethical and Privacy Concerns [42]

The expanding use of molecular and genetic technologies in forensic odontology introduces important ethical and privacy considerations. DNA profiling, [45] genomic analysis, and digital forensic databases may involve sensitive biological information with implications for personal privacy and data security. [42]

Issues concerning informed consent, storage of genetic information, international data sharing, and misuse of forensic databases require careful ethical regulation. [42]

Similarly, integration of artificial intelligence and digital forensic systems raises concerns regarding algorithmic bias, unauthorized access, and ethical governance of forensic data. [38,40,50,51,52]

Development of ethical guidelines and robust regulatory frameworks is therefore essential for responsible application of advanced analytical technologies in forensic dental investigations. [42]

6.7 Limited Availability of Population-Specific Databases

Many analytical forensic methods rely heavily on comparative databases for interpretation and validation. However, population-specific reference data remain limited for several forensic odontological applications including:

- isotopic profiling,
- proteomic biomarkers, [8,22,35]
- DNA methylation analysis, [30,32]
- dental elemental composition studies. [31]

Geographic, ethnic, dietary and environmental variations may significantly influence analytical findings. [33] Consequently, forensic interpretations derived from one population may not always be directly applicable to another.

The development of large-scale, population-specific forensic dental databases is therefore necessary to improve analytical precision and global applicability of forensic odontological methods.

Although significant challenges continue to affect the routine implementation of advanced analytical methods in forensic odontology, ongoing technological advancements and interdisciplinary collaboration are steadily improving the scientific reliability of dental evidence analysis. Continued efforts toward methodological standardization, validation, database development, and ethical regulation are expected to further strengthen the future role of analytical chemistry in forensic dental practice. [48]

7. Future Perspectives in Analytical Forensic Odontology

The future of forensic odontology is expected to be increasingly shaped by advancements in analytical chemistry, molecular biology, artificial intelligence, and digital technologies. Contemporary forensic dental investigations are progressively transitioning from conventional descriptive approaches toward highly objective, molecular, and data-driven analytical systems capable of improving precision, reproducibility, and evidentiary reliability. [38,40,50,51,52]

As interdisciplinary collaboration between forensic odontologists, analytical chemists, molecular biologists, bioinformaticians, and digital forensic specialists continues to expand, analytical forensic odontology is likely to emerge as a more sophisticated and standardized component of modern forensic science. [53]

7.1 Toward Precision Forensic Odontology

Future developments in analytical forensic odontology are expected to emphasize precision-based approaches tailored to individual biological and molecular characteristics preserved within dental tissues.

Advanced biomarker profiling involving proteomics, metabolomics, epigenetics, and isotopic analysis may enable highly individualized forensic interpretation. Such approaches could improve the accuracy of: [8,22,35]

- human identification, [49]
- age estimation,
- sex determination,
- environmental exposure reconstruction,
- and postmortem biological profiling.

The integration of multiple analytical modalities may further strengthen diagnostic reliability by combining structural, molecular, elemental, and genetic information derived from dental evidence.

Precision forensic odontology may therefore reduce interpretational subjectivity and enhance the scientific objectivity of medicolegal investigations.

7.2 Integration of Artificial Intelligence and Computational Forensics [38,40,50,51,52]

Artificial intelligence and computational analytical systems are expected to play an increasingly important role in future forensic dental investigations. [38,40,50,51,52]

Machine learning algorithms may assist in:

- automated age estimation,
- dental comparison,
- spectroscopic interpretation,

- molecular pattern recognition,
- predictive forensic modeling.

AI-assisted chemometric analysis may significantly improve interpretation of complex analytical datasets generated through spectroscopy, chromatography, and mass spectrometry. Automated analytical systems may additionally reduce observer-dependent variability and improve reproducibility in forensic dental evaluation.

Future integration of deep learning with digital radiography, three-dimensional imaging, and molecular analysis could facilitate rapid and highly accurate forensic identification workflows.

However, continued validation, algorithm transparency, ethical governance, and legal standardization will remain essential before routine forensic implementation can be fully achieved. [42]

7.3 Development of Integrated Forensic Dental Databases

The establishment of comprehensive digital forensic dental databases is expected to substantially improve the efficiency and reliability of forensic identification procedures. [39]

Future databases may integrate:

- dental radiographs,
- three-dimensional dental scans,
- restorative records,
- molecular profiles,
- isotopic signatures, [21,34]
- proteomic data. [8,22,35]

Such multidimensional databases could facilitate rapid comparison of antemortem and postmortem findings during criminal investigations and mass disaster victim identification.

International collaboration and standardization of digital forensic records may further enhance global forensic response capability during humanitarian disasters, aviation accidents, armed conflicts, and unidentified remains investigations.

Nevertheless, issues related to privacy protection, cybersecurity, ethical data management, and legal regulation must be carefully addressed during database development. [42]

7.4 Advancements in Non-Destructive and Portable Technologies

Future analytical innovations are expected to prioritize non-destructive and field-deployable technologies capable of preserving evidentiary integrity while enabling rapid forensic assessment.

Portable spectroscopic devices, handheld elemental analyzers, [43] compact molecular systems, and mobile forensic platforms may increasingly support on-site examination of dental evidence during disaster response and field investigations.

Simultaneously, improvements in non-invasive imaging techniques such as micro-CT, optical coherence tomography, and digital dental scanning may enhance structural evaluation of teeth without compromising specimen integrity.

The growing availability of portable analytical systems may expand forensic dental capabilities in remote regions and resource-limited settings where access to centralized laboratory infrastructure remains restricted.

7.5 Emerging Molecular and Epigenetic Biomarkers

Future forensic dental research is likely to focus heavily on discovery and validation of novel molecular biomarkers associated with aging, environmental exposure, systemic disease, and postmortem changes.

DNA methylation profiling, microRNA analysis, protein degradation pathways, and metabolomic signatures preserved within dental tissues may provide increasingly objective indicators for forensic age estimation and biological characterization. [30,32]

Similarly, advances in proteomic analysis may improve sex estimation and species identification in degraded forensic specimens where conventional DNA analysis is unsuccessful. [8,22,35]

Continued validation of these biomarkers across diverse populations will be necessary before routine forensic application becomes feasible.

7.6 Strengthening Interdisciplinary Collaboration

The future progress of analytical forensic odontology will depend heavily on interdisciplinary collaboration between multiple scientific disciplines. [36,39]

Effective integration of:

- analytical chemistry,
- molecular biology,
- forensic medicine,
- oral pathology,

- anthropology,
- bioinformatics,
- computational sciences

will be essential for advancing forensic dental research and improving analytical interpretation.

Collaborative research initiatives may facilitate development of standardized methodologies, shared forensic databases, and internationally accepted best-practice guidelines.

Additionally, enhanced academic training and specialized forensic education programs may help prepare future forensic odontologists for increasingly technology-driven investigative environments.

7.7 Standardization and Global Forensic Guidelines

One of the most important future priorities in analytical forensic odontology involves the establishment of universally accepted analytical protocols and forensic standards.^[44]

Standardization is essential for:

- improving reproducibility,
- ensuring legal admissibility,
- reducing inter-laboratory variability,
- strengthening scientific credibility.

Future efforts should focus on validation of analytical techniques, development of reference datasets, calibration standards, and evidence interpretation guidelines applicable across different forensic settings and populations.

International forensic organizations and academic institutions are expected to play crucial roles in promoting harmonization of forensic dental analytical practices globally.

8. Conclusion

Forensic odontology has evolved considerably from a discipline primarily dependent on morphological comparison toward a scientifically advanced field increasingly supported by analytical chemistry and molecular technologies. Teeth and associated oral tissues serve as durable biological archives capable of preserving structural, elemental, biochemical, and genetic information even under extreme environmental and postmortem conditions.

The integration of spectroscopic, chromatographic, mass spectrometric, molecular, and computational analytical methods has substantially improved the sensitivity, objectivity, and reliability of forensic dental investigations. These technologies have expanded the applications of forensic odontology in human identification, age estimation, sex determination, toxicological evaluation, disaster victim identification, and analysis of degraded remains.^[49]

Emerging innovations including multi-omics analysis, artificial intelligence, portable analytical systems, and non-destructive methodologies continue to strengthen the future potential of forensic dental science. However, challenges related to standardization, analytical complexity, legal admissibility, ethical concerns, and accessibility remain significant barriers to routine implementation.^[38,40,50,51,52]

Continued interdisciplinary collaboration, technological advancement, and development of validated forensic guidelines will be essential for further strengthening the scientific foundation of forensic odontology. The growing integration of analytical chemistry into forensic dental practice represents a transformative shift toward more objective, reproducible, and evidence-based forensic investigation.

References

1. Pretty IA, Sweet D. A look at forensic dentistry. Part 1: The role of teeth in the determination of human identity. *Br Dent J*. 2001;190(7):359-366.
2. Ritz-Timme S, Cattaneo C, Collins MJ, Waite ER, Schütz HW, Kaatsch HJ, et al. Age estimation: The state of the art in relation to the specific demands of forensic practice. *Int J Legal Med*. 2000;113(3):129-136.
3. Kallianta M, Fragou D, Sifakis S, Kouvidi E, Tsoukalas D, Sarandi E, et al. Applications of mass spectrometry in dentistry. *Biomedicines*. 2023;11(2):286.
4. Krishan K, Kanchan T, Garg AK. Dental evidence in forensic identification - an overview, methodology and present status. *Open Dent J*. 2015;9:250-256.
5. Avon SL. Forensic odontology: The roles and responsibilities of the dentist. *J Can Dent Assoc*. 2004;70(7):453-458.
6. Kaczmarek K, Leniart A, Lapinska B, Skrzypek S, Lukomska-Szymanska M. Selected spectroscopic techniques for surface analysis of dental materials: A narrative review. *Materials (Basel)*. 2021;14(10):2624.
7. Woerner AE, Novroski NMM, Wendt FR, Ambers A, Wiley R, Budowle B. Forensic human identification with the microbiome. *Forensic Sci Int Genet*. 2019;38:113-123.
8. Tsutaya T, Fujimoto K, Nakai Y, Mori N, Iguchi R, Moroi A, Yoshizawa K, Ueki K, Kimura Y, Adachi N. Proteomic Investigation of Human Dental Pulp to Identify Individuals Who Are Pregnant. *Proteomics Clin Appl*. 2025 Jul;19(4):e70011. doi: 10.1002/prca.70011. Epub 2025 May 31. PMID: 40448561; PMCID: PMC12278038.

9. Shrivastava PK, Kumar A, Aggarwal Y, Kumar A, Agrawal A, Rai A. Diagnostic accuracy of vibrational spectroscopy in the diagnosis of oral potentially malignant and malignant disorders: A systematic review and meta-analysis. *J Cancer Res Ther.* 2023;19(2):151-158.
10. Gatin E, Iordache SM, Gatin DI, Nagy P, Iordache AM, Luculescu C. Periodontal disease monitoring by Raman spectroscopy of phosphates: New insights into pyrophosphate activity. *Diagnostics (Basel).* 2024;14(1):66.
11. Ramirez I, et al. Chemical and morphological analysis of dentin irradiated with high-intensity lasers: A systematic review. *Lasers Med Sci.* 2023.
12. Murugan P, et al. Recent advances on the methods developed for the detection of chemical contaminants using spectroscopic techniques. *TrAC Trends Anal Chem.* 2023.
13. Maurer HH. Hyphenated mass spectrometric techniques-indispensable tools in clinical and forensic toxicology and in doping control. *J Mass Spectrom.* 2006 Nov;minim(11):1399-1413. doi:10.1002/jms.1112. PMID: 17051522.
14. Peters FT. Recent advances of liquid chromatography-(tandem) mass spectrometry in clinical and forensic toxicology. *Clin Biochem.* 2011 Jan;44(1):54-65. doi:10.1016/j.clinbiochem.2010.08.008. PMID: 20709050.
15. Matuszewski BK, Constanzer ML, Chavez-Eng CM. Strategies for the assessment of matrix effect in quantitative bioanalytical methods based on HPLC-MS/MS. *Anal Chem.* 2003 Jul 1;75(13):3019-3030. doi:10.1021/ac020361s. PMID: 12964746.
16. Remane D, Wissenbach DK, Peters FT. Recent advances of liquid chromatography-(tandem) mass spectrometry in clinical and forensic toxicology - An update. *Clin Biochem.* 2016 Sep;49(13-14):1051-1071. doi:10.1016/j.clinbiochem.2016.07.010. PMID: 27452180.
17. de Almeida CM, et al. Applications of MALDI mass spectrometry in forensic science. *J Mass Spectrom.* 2024. PMID: 39160439.
18. Florou D, et al. A broad-spectrum LC-MS/MS method for screening and quantification in forensic toxicology. *J Anal Toxicol.* 2024. PMID: 39306869.
19. Goullé JP, Sausseureau E, Mahieu L, Guerbet M. Current role of ICP-MS in clinical toxicology and forensic toxicology: a metallic profile. *Bioanalysis.* 2014;6(17):2245-2259.
20. Klima M, Altenburger MJ, Kempf J, Auwärter V, Neukamm MA. Determination of medicinal and illicit drugs in post mortem dental hard tissues and comparison with analytical results for body fluids and hair samples. *Forensic Sci Int.* 2016;265:166-171. PMID: 26930453.
21. Beaumont J, Montgomery J. Oral histories: A simple method of assigning chronological age to isotopic values from human dentine collagen. *Ann Hum Biol.* 2015;42(4):407-414. PMID: 26225904.
22. Jersie-Christensen RR, Lanigan LT, Lyon D, et al. Quantitative metaproteomics of medieval dental calculus reveals individual oral health status. *Nat Commun.* 2018;9(1):4744. PMID: 30420512.
23. Pozebon D, Scheffler GL, Dressler VL, Nunes MAG. Review of the applications of laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS) to the analysis of biological samples. *J Anal At Spectrom.* 2014;29(12):2204-2228.
24. Sweet D, Hildebrand D. Recovery of DNA from human teeth by cryogenic grinding. *J Forensic Sci.* 1999;44(6):1199-1202. DOI: 10.1520/JFS14661J
25. Butler JM. Short tandem repeat typing technologies used in human identity testing. *Biotechniques.* 2007;43(4):ii-v. DOI: 10.2144/000112582
26. Higgins D, Austin JJ. Teeth as a source of DNA for forensic identification of human remains: a review. *Sci Justice.* 2013;53(4):433-441. DOI: 10.1016/j.scijus.2013.06.001
27. Silva RH, Sales-Peres A, Oliveira RN, Oliveira FT, Sales-Peres SH. Use of DNA technology in forensic dentistry. *J Appl Oral Sci.* 2007;15(3):156-161. DOI: 10.1590/S1678-77572007000300003
28. Seno MMG, Tanimoto K, Imoto I, et al. Sex determination by amelogenin gene analysis from dental pulp tissue. *Arch Oral Biol.* 2008;53(5):448-451. DOI: 10.1016/j.archoralbio.2007.11.001
29. Loreille OM, Diegoli TM, Irwin JA, Coble MD, Parsons TJ. High efficiency DNA extraction from bone by total demineralization. *Forensic Sci Int Genet.* 2007;1(2):191-195. DOI: 10.1016/j.fsigen.2007.02.006
30. Vidaki A, Kayser M. Recent progress, methods and perspectives in forensic epigenetics. *Forensic Sci Int Genet.* 2018;37:180-195. DOI: 10.1016/j.fsigen.2018.08.008
31. Zbieć-Piekarska R, Spólnicka M, Kupiec T, et al. Development of a forensically useful age prediction method based on DNA methylation analysis. *Forensic Sci Int Genet.* 2015;17:173-179. DOI: 10.1016/j.fsigen.2015.05.001
32. Alvarez-Cubero MJ, Saiz M, Martínez-García B, et al. Next generation sequencing: an application in forensic sciences? *Ann Hum Biol.* 2017;44(7):581-592. doi:10.1080/03014460.2017.1375155. PMID: 28948844.
33. Kamenov GD, Curtis JH. Using carbon, oxygen, strontium, and lead isotopes in modern human teeth for forensic investigations: A critical overview based on data from Bulgaria. *J Forensic Sci.* 2017;62(6):1452-1459. doi:10.1111/1556-4029.13462. PMID: 28230896.
34. Stewart NA, Gerlach RF, Gowland RL, Gron KJ, Montgomery J. Sex determination of human remains from peptides in tooth enamel *Proc Natl Acad Sci U S A.* 2017;114(52):13649-13654. doi:10.1073/pnas.1714926115. PMID: 29229823.
35. Kumari P, Prakash P, Yadav S, Saran V. Microbiome analysis: An emerging forensic investigative tool. *Forensic Sci Int.* 2022;340:111462. doi:10.1016/j.forsciint.2022.111462. PMID: 36155349.

36. Adserias-Garriga J, Thomas C, Ubelaker DH, Zapico SC. When forensic odontology met biochemistry: Multidisciplinary approach in forensic human identification. *Arch Oral Biol.* 2018;87:7-14. doi:10.1016/j.archoralbio.2017.11.011. PMID: 29241027.
37. Application and performance of artificial intelligence technology in forensic odontology: A systematic review. *Leg Med (Tokyo).* 2021;48:101826. doi:10.1016/j.legalmed.2020.101826.
38. Jersie-Christensen RR, Lanigan LT, Lyon D, et al. Quantitative metaproteomics of medieval dental calculus reveals individual oral health status. *Nat Commun.* 2018;9(1):4744.
39. Mohammad N, Ahmad R, Kurniawan A, Mohd Yusof MYP. Applications of contemporary artificial intelligence technology in forensic odontology as primary forensic identifier: A scoping review. *Front Artif Intell.* 2022;5:1049584.
40. Matsuda S, Yoshida H, Ebata K, Shimada I, Yoshimura H. Forensic odontology with digital technologies: A systematic review. *J Forensic Leg Med.* 2020 Aug;74:102004. doi: 10.1016/j.jflm.2020.102004. PMID: 32658766.
41. Čartolovni A, Tomičić A, Lazić Mosler E. Ethical, legal, and social considerations of AI-based medical decision-support tools: A scoping review. *Int J Med Inform.* 2022;161:104738.
42. Pallocci M, Treglia M, Passalacqua P, et al. Forensic applications of hyperspectral imaging technique: A narrative review. *Med Sci Law.* 2022;62(4):268-278.
43. Kalcsits LA. Non-destructive Measurement of Calcium and Potassium in Apple and Pear Using Handheld X-ray Fluorescence. *Front Plant Sci.* 2016 Apr 5;7:442. doi: 10.3389/fpls.2016.00442. PMID: 27092160; PMCID: PMC4820457.
44. Christensen AM, Crowder CM. Evidentiary standards for forensic anthropology. *J Forensic Sci.* 2009;54(6):1211-1216. PMID: 19804520
45. Butler JM. Forensic DNA testing. *Cold Spring Harb Protoc.* 2011;2011(11):1428-1438. PMID: 22135660
46. Butler JM. The future of forensic DNA analysis. *Philos Trans R Soc Lond B Biol Sci.* 2015;370(1674):20140252. PMID: 26101278
47. Butler JM. Interpol review of forensic biology and forensic DNA typing 2016-2019. *Forensic Sci Int Synerg.* 2020;2:352-367. PMID: 33385135
48. Ata-Ali J, Ata-Ali F. Forensic dentistry in human identification: A review of the literature. *J Clin Exp Dent.* 2014;6(2):e162-e167. PMID: 24790717
49. Veldhuis MS, Ariëns S, Ypma RJF, Abeel TEPMF, Benschop CCG. Explainable artificial intelligence in forensics: Realistic explanations for number of contributor predictions of DNA profiles. *Forensic Sci Int Genet.* 2022;56:102632. PMID 34839075
50. Hall SW, Bush GL. Explainable artificial intelligence for digital forensics. *WIREs Forensic Sci.* 2022;4(2):e1434. doi:10.1002/wfs2.1434. Article: Wiley Online Library
51. Garrett BL, Monas G. Interpretable algorithmic forensics. *Proc Natl Acad Sci U S A.* 2023;120(51):e2301842120. doi:10.1073/pnas.2301842120. Article: PNAS Article
52. Abbas SR, Khan MA, Iqbal W, et al. Federated learning in smart healthcare: Concepts, applications, and future directions. *Healthcare (Basel).* 2024;12(1):45. doi:10.3390/healthcare12010045.
53. Arthanari A, Raj SS, Ravindran V. A narrative review in application of artificial intelligence in forensic science: Enhancing accuracy in crime scene analysis and evidence interpretation. *J Int Oral Health.* 2025;17(1):15-22. doi:10.4103/jioh.jioh_162_24.